ELSEVIER

Journal of Supercritical Fluids 20 (2001) 269

THE JOURNAL OF Supercritical Fluids

www.elsevier.com/locate/supflu

Author Index

Adschiri, T., 257
Arai, K., 257

Barth, D., 145
Benvenuti, F., 29
Berna, A., 157
Borg, P., 145
Brennecke, J.F., 1
Browarzik, C., 73
Browarzik, D., 73

Cansell, F., 55
Cháfer, A., 157
Chevalier, B., 55
Cocero, M.J., 229, 245
Coniglio, L., 145

Elkanzi, E.M., 105
Etourneau, J., 55

Galushko, A.A., 113
García, J., 229, 245
Garriga, R., 55
Ghiasvand, A.R., 163
Gironi, F., 29

Han, B., 65, 171
Hasan, M., 45
Huo, Q., 171

Jaubert, J.-N., 145
Jung, J., 179

Kehlen, H., 73
Knez, Ž., 131

Lamberti, L., 29
Liu, J., 171
Liu, Z., 171
Lu, J., 65

Markom, M., 45
Mochiduki, M., 257
Montón, J.B., 157

Perrut, M., 179
Pessey, V., 55
Peters, C.J., 221
Plyasunov, A.V., 91

Raeissi, S., 221

Sawamoto, S., 257
Shamsipur, M., 163
Shock, E.L., 91
Singh, H., 45, 105
Škerget, M., 131
Sovová, H., 15, 113
Stadtherr, M.A., 1
Stateva, R.P., 113
Stradi, B.A., 1
Stránský, K., 15
Subirats, S., 157

Vacek, M., 15

Wang, J., 171
Watanabe, M., 257
Weill, F., 55

Yamini, Y., 163
Yousef, A.M., 105

Zarevúcka, M., 15
Zhang, H., 65

0896-8446/01/$ - see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0896-8446(01)00082-1

ELSEVIER

Journal of Supercritical Fluids 20 (2001) 271–274

THE JOURNAL OF Supercritical Fluids

www.elsevier.com/locate/supflu

Subject Index

Acetylacetonate
Kinetic study of chemical transformation in supercritical media of bis(hexafluoroacetylacetonate)copper (II) hydrate 55
Alkanes
Prediction of supercritical CO_2 solubility using the Krichevsky–Ilinskaya equation with $\bar{v}_2^{\infty}$ as an adjustable parameter 105
Antisolvent
Polymerization of styrene in solutions with compressed carbon dioxide as antisolvent 171
Aqueous nonelectrolytes
Estimation of the Krichevskii parameter for aqueous nonelectrolytes 91
Aromatic hydrocarbon
Prediction of supercritical CO_2 solubility using the Krichevsky–Ilinskaya equation with $\bar{v}_2^{\infty}$ as an adjustable parameter 105

Batch
Supercritical deterpenation of lemon essential oil, experimental data and simulation of the semicontinuous extraction process 29
Bubble points
Bubble-point pressures of the binary system carbon dioxide + linalool 221

Carbon dioxide
High-pressure solubility data of system ethanol (1) + catechin (2) + CO_2 (3) 157
β-carotene
Supercritical CO_2 fractionation of crude palm oil 45
Catechin
High-pressure solubility data of system ethanol (1) + catechin (2) + CO_2 (3) 157
Chelating agent
Extraction of uranium from solid matrices using modified supercritical fluid CO_2 163
Chemical reaction engineering
Multicomponent phase equilibrium measurements and modeling for the allylic epoxidation of *trans*-2-hexen-1-ol to (2R,3R)-(+)-3-propyloxiranemethanol in high-pressure carbon dioxide 1
Citrus peel oil
Bubble-point pressures of the binary system carbon dioxide + linalool 221
Cloud-point curve
Phase-equilibrium calculations for solutions of poly(ethylene-co-vinyl acetate) copolymers in supercritical ethylene using a cubic equation of state 73
CO_2
Bubble-point pressures of the binary system carbon dioxide + linalool 221
Polymerization of styrene in solutions with compressed carbon dioxide as antisolvent 171
CO_2–alcohol
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol — I. Desorption model 229
CO_2-alcohol
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol – II. Shortcut methods 245
Continuous thermodynamics
Phase-equilibrium calculations for solutions of poly(ethylene-co-vinyl acetate) copolymers in supercritical ethylene using a cubic equation of state 73
Copolymer
Phase-equilibrium calculations for solutions of poly(ethylene-co-vinyl acetate) copolymers in supercritical ethylene using a cubic equation of state 73
Copper
Kinetic study of chemical transformation in supercritical media of bis(hexafluoroacetylacetonate)copper (II) hydrate 55
Correlation
Estimation of the Krichevskii parameter for aqueous nonelectrolytes 91
Cosolvent
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol — I. Desorption model 229
Critical point
Estimation of the Krichevskii parameter for aqueous nonelectrolytes 91
Critical points
Bubble-point pressures of the binary system carbon dioxide + linalool 221
Cyclohexane
Polymerization of styrene in solutions with compressed carbon dioxide as antisolvent 171

Dense gases
Phase equilibria of the vitamins D_2, D_3 and K_3 in binary systems with CO_2 and propane 131

0896-8446/01/$ - see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0896-8446(01)00083-3

Enrichment
Supercritical deterpenation of lemon essential oil, experimental data and simulation of the semicontinuous extraction process 29
Environmental technologies
Multicomponent phase equilibrium measurements and modeling for the allylic epoxidation of *trans*-2-hexen-1-ol to (2R,3R)-(+)-3-propyloxiranemethanol in high-pressure carbon dioxide 1
Equation of state
Phase-equilibrium calculations for solutions of poly(ethylene-co-vinyl acetate) copolymers in supercritical ethylene using a cubic equation of state 73
Ethanol
High-pressure solubility data of system ethanol (1) + catechin (2) + CO_2 (3) 157
Experiments
Solubility of two vegetable oils in supercritical CO_2 15
Extraction from seed
Essential oils from seeds: solubility of limonene in supercritical CO_2 and how it is affected by fatty oil 113

Fat soluble vitamins
Phase equilibria of the vitamins D_2, D_3 and K_3 in binary systems with CO_2 and propane 131
Fatty acid ethyl esters
Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide 145
Fatty acid methyl esters
Supercritical CO_2 fractionation of crude palm oil 45
Flux models
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol – II. Shortcut methods 245
Fractionation
Supercritical CO_2 fractionation of crude palm oil 45

High-pressure CO_2
Precipitation of lysozyme solubilized in reverse micelles by dissolved CO_2 65

Kinetics
Kinetic study of chemical transformation in supercritical media of bis(hexafluoroacetylacetonate)copper (II) hydrate 55
Krichevskii parameter
Estimation of the Krichevskii parameter for aqueous nonelectrolytes 91
Krichevsky–Ilinskaya equation
Prediction of supercritical CO_2 solubility using the Krichevsky–Ilinskaya equation with $\bar{v}_2^{\infty}$ as an adjustable parameter 105

Lemon oil
Supercritical deterpenation of lemon essential oil, experimental data and simulation of the semicontinuous extraction process 29
Limonene
Essential oils from seeds: solubility of limonene in supercritical CO_2 and how it is affected by fatty oil 113
Linalool
Bubble-point pressures of the binary system carbon dioxide + linalool 221
literature and patent
Particle design using supercritical fluids: Literature and patent survey 179
Lysozyme
Precipitation of lysozyme solubilized in reverse micelles by dissolved CO_2 65

Modeling
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol — I. Desorption model 229
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol – II. Shortcut methods 245
Modelling
High-pressure solubility data of system ethanol (1) + catechin (2) + CO_2 (3) 157
Solubility of two vegetable oils in supercritical CO_2 15
Modifier
Extraction of uranium from solid matrices using modified supercritical fluid CO_2 163
Multiphase equilibria
Multicomponent phase equilibrium measurements and modeling for the allylic epoxidation of *trans*-2-hexen-1-ol to (2R,3R)-(+)-3-propyloxiranemethanol in high-pressure carbon dioxide 1

Nanoparticles
Kinetic study of chemical transformation in supercritical media of bis(hexafluoroacetylacetonate)copper (II) hydrate 55
n-hexadecane
Partial oxidation of *n*-hexadecane and polyethylene in supercritical water 257

Oil seed
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol — I. Desorption model 229
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol – II. Shortcut methods 245
Orange oil
Bubble-point pressures of the binary system carbon dioxide + linalool 221

Palm oil
Supercritical CO_2 fractionation of crude palm oil 45

Partial molar volume
Prediction of supercritical CO_2 solubility using the Krichevsky–Ilinskaya equation with $\bar{v}_2^{\infty}$ as an adjustable parameter 105
Partial oxidation
Partial oxidation of *n*-hexadecane and polyethylene in supercritical water 257
Particle design
Particle design using supercritical fluids: Literature and patent survey 179
Peng Robinson EOS
Prediction of supercritical CO_2 solubility using the Krichevsky–Ilinskaya equation with $\bar{v}_2^{\infty}$ as an adjustable parameter 105
Peng–Robinson–Stryjek–Vera (PRSV) equation of state
Bubble-point pressures of the binary system carbon dioxide + linalool 221
Phase equilibria
Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide 145
Phase equilibria of the vitamins D_2, D_3 and K_3 in binary systems with CO_2 and propane 131
Pollution prevention
Multicomponent phase equilibrium measurements and modeling for the allylic epoxidation of *trans*-2-hexen-1-ol to (2R,3R)-(+)-3-propyloxiranemethanol in high-pressure carbon dioxide 1
Polydispersity
Phase-equilibrium calculations for solutions of poly(ethylene-co-vinyl acetate) copolymers in supercritical ethylene using a cubic equation of state 73
Polyethylene
Partial oxidation of *n*-hexadecane and polyethylene in supercritical water 257
Polymerization
Polymerization of styrene in solutions with compressed carbon dioxide as antisolvent 171

Reverse micelles
Precipitation of lysozyme solubilized in reverse micelles by dissolved CO_2 65

SFE
Extraction of uranium from solid matrices using modified supercritical fluid CO_2 163
Simulation
Supercritical deterpenation of lemon essential oil, experimental data and simulation of the semicontinuous extraction process 29
S–L–V line
Phase equilibria of the vitamins D_2, D_3 and K_3 in binary systems with CO_2 and propane 131
Solubility
Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide 145
Phase equilibria of the vitamins D_2, D_3 and K_3 in binary systems with CO_2 and propane 131
Solubility of two vegetable oils in supercritical CO_2 15
Solvent substitution
Multicomponent phase equilibrium measurements and modeling for the allylic epoxidation of *trans*-2-hexen-1-ol to (2R,3R)-(+)-3-propyloxiranemethanol in high-pressure carbon dioxide 1
Styrene
Polymerization of styrene in solutions with compressed carbon dioxide as antisolvent 171
Supercritical
Supercritical deterpenation of lemon essential oil, experimental data and simulation of the semicontinuous extraction process 29
Supercritical carbon dioxide
Essential oils from seeds: solubility of limonene in supercritical CO_2 and how it is affected by fatty oil 113
Supercritical CO_2
Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide 145
Solubility of two vegetable oils in supercritical CO_2 15
Supercritical CO_2 fractionation of crude palm oil 45
Supercritical extraction
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol — I. Desorption model 229
Mathematical model of supercritical extraction applied to oil seed extraction by CO_2 + saturated alcohol – II. Shortcut methods 245
Supercritical fluid
Kinetic study of chemical transformation in supercritical media of bis(hexafluoroacetylacetonate)copper (II) hydrate 55
supercritical fluids
Particle design using supercritical fluids: Literature and patent survey 179
Supercritical solubility
High-pressure solubility data of system ethanol (1) + catechin (2) + CO_2 (3) 157
Supercritical water
Partial oxidation of *n*-hexadecane and polyethylene in supercritical water 257

Tetrahydrofuran
Polymerization of styrene in solutions with compressed carbon dioxide as antisolvent 171
The Gibbs energy of hydration
Estimation of the Krichevskii parameter for aqueous nonelectrolytes 91
Triglyceride
Essential oils from seeds: solubility of limonene in supercritical CO_2 and how it is affected by fatty oil 113

U(VI)
Extraction of uranium from solid matrices using modified supercritical fluid CO_2 163

Vapor–liquid equilibrium
Bubble-point pressures of the binary system carbon dioxide + linalool 221
Vapour–liquid equilibria
Essential oils from seeds: solubility of limonene in supercritical CO_2 and how it is affected by fatty oil 113
Variable-volume view cell
Phase equilibria measurements and modeling of EPA and DHA ethyl esters in supercritical carbon dioxide 145
Vegetable oil
Solubility of two vegetable oils in supercritical CO_2 15

Water
Estimation of the Krichevskii parameter for aqueous nonelectrolytes 91
Water gas shift reaction
Partial oxidation of *n*-hexadecane and polyethylene in supercritical water 257